UNDERHILL-JERICHO FIRE DEPARTMENT, INC. CHECKLIST ONE OR TWO FAMILY RESIDENCES CRITERIA

The primary goal of this checklist is to protect people in our towns, including emergency personnel responding to the incident, from injury or loss of life.

A Fire department assessment shall be conducted to determine the overall impact of the land use change and effect of the building construction has on local fire protection services.

- 1. Town Road Specs shall be used for the construction of any access road.
- 2. All plans for single family occupancy can be basic with accompanying written documentation showing all specs below will be met. (This must be done before FD will provide Ability to Serve letter)
- 3. All plans for 2 family and larger homes, or developments/subdivisions of more than a single family residence, will be Comprehensive plans and MUST have all Specs below documented on the plans. (This must be done before FD will provide Ability to Serve letter)
- 4. Driveways and entry road must meet the following minimums:

1 residence
 2 residences
 3 to 4 residences
 5 residences or more
 12' wide with 2' shoulders
 20' wide with 2' shoulders
 24' wide with 2' shoulders

- ➤ No grade of more than 10% is allowed
- > This includes current public and private roads that may need improvement as the number or residences on the roads increases.
- 5. Driveways to each house from the point of town road or access road shall be the following:
 - > minimum of 12 feet wide
 - > not less than 12 inches of gravel base
 - > driveways shall not have slope greater than 10%
 - > The angle of approach and the angle of departure shall not exceed 8 degrees at any point on the road or its intersection with other roads
 - > maintained and kept clear 12 months per year
 - > all bridges shall have a rating capacity of 35,000 pounds or more
 - > all curves and grades shall meet town road specifications
 - > driveways shall have clear height unobstructed of 13'-6"
 - > curve radius 30' inside radius minimum (exceptions can be made dependent on primary road width and at the sole discretion of the FD)
 - ➤ Dead-end roads and fire lanes that exceed 300 ft (91 m) in length shall be provided with turnaround at the closed end.
 - > Hammerhead turn around- minimum 15 ft wide and 38 ft deep
 - > Curb cut radius-20' minimum curb cuts
- 6. Distance between dwellings:

If the available fire flow is less than 500 gallons per minute, or the nearest hydrant, if any, is more than 500 feet away, the distance between dwellings must be greater than 100 feet. For less than 100 feet Separation, ISO Standard 6/80 must be met.

7. Identification of dwelling:

All premises having an assigned address shall be identified by signage bearing the assigned address. Residents shall have their address posted conspicuously on mailbox or sign at the intersection of the driveway. We encourage the installation of a 911 address sign available from the UJFD or other online sources (Form Attached)

8. Detection, Alarm, and Communications Systems.

Smoke and Carbon Monoxide alarms shall be installed in all dwellings in accordance with Vermont State law and the Vermont Fire Safety Code as administered by the Vermont Division of Fire Safety Go to www.firesafety.vermont.gov for additional information on the required installation of smoke and carbon monoxide alarms.

9. Number of Means of Escape

In dwellings or dwelling units of two rooms or more, every sleeping room and every living area shall have not less than one primary means of escape and one secondary means of escape.

10. Fire department access to dwellings:

- Exterior access must be provided to all basements, which should be accomplished by one of the following: (1) bulk-head with stairs, (2) window w/minimum dimension of 3', (3) or a passage door.
- ➤ All concealed spaces with a clear dimension of more than 24" shall be provided with a 3' x 3' access door; this shall include attic and crawl spaces.

11. Heating devices:

Installation of all solid fuel (wood/coal burning) heating devices shall be done in accordance with manufacturer's specifications and utilize Underwriter's laboratory standards.

12. Notification of occupancy:

A Fire Department Homeowner's Form must be filed within one week of occupancy. (Form Attached)

NOTE: In addition, any building that contains rental housing or other public spaces must meet the codes that are currently in effect and adopted statewide as enforced by the Vermont Division of Fire Safety

HOMEOWNERS INFORMATION FORM

To insure the correct "**LOCATABLE ADDRESS**" is properly associated with your name and telephone number, it is very important to <u>fill out the following information and please return it to</u>:

UJFD PO BOX 150 UNDERHILL VT 05489

This will help the Fire Department and Rescue personnel to be able to locate you in the event of an emergency.

PLEASE PRINT THE INFOR	RMATION ON THE F	FORM BELOW:		
Name:				
Locatable Address:				
Town:	Home Phone N	umber:		
	Alternate Phone	e Number:		
IF YOU RENT, PLEASE GIVE	E THE PROPERTY O	WNER'S NAME AND TEI	LEPHONE NUMB	ER:
Owner:	Te	elephone Number:		
Are Address Numbers (Prefer	ably 4" tall) Visible fr	rom the Road: YES	(If no, see back of	this form to order)
NUMBER of OCCUPANTS	FUEL(S)	DWELLING TYPE	<u>HAZARDS</u>	
Adults Children Handicap Persons Dogs Cats	Gasoline Propane Fuel oil Kerosene Natural Gas		Ammuniti	on ase list)
Electric Company:				
Propane or Gas Company:				
Location(s) of Fuel Tank(s): _				
Location of Gas Meter:				
LOCATION OF HAZARDS:				
Please check each location wh	nere hazards are preser	nt:		
Basement Garage	Storage building Front of resider	C	residence	First Floor Second Floor

REMEMBER, WHEN YOU HAVE AN EMERGENCY "DIAL 911"

Please keep the following safety tips from the fire department in mind:

- Working smoke and Carbon Monoxide "CO" alarms are essential in every household. Install
 photoelectric smoke alarms on every level of your home, including the basement, making sure that
 there is an alarm outside every separate sleeping area.
- CO alarms should be installed close to the bedroom areas.
- Alarms don't last forever, check the manufacturer's instructions for replacement information and clean
 and test your smoke alarms regularly and make sure that everyone in your home (including guests)
 know how to escape if a fire occurs. Assign an adult to help very young, elderly or anyone else who
 needs help getting out. Choose a safe meeting place outside and plan to call the fire department from
 the neighbors. Never go back in once you are out.
- All homes should have a 5 lb. ABC fire extinguisher available to fight small fires. However portable fire
 extinguishers do have limits. Always call the fire department if there is a fire. If you do try to fight the
 fire, be sure others are already getting out and you have a clear path to the exit.

For additional fire safety information or to purchase a Reflective 911 Address Marker:

Please call the Underhill-Jericho Fire Department at 899-4025

or visit our web page at www.ujfd.org or email us at info@ujfd.org

An additional information resource is the Vermont Division of Fire Safety's website: www.firesafety.vermont.gov



UNDERHILL JERICHO FIRE DEPATMENT



REFLECTIVE ADDRESS MARKER ORDER FORM

		I OKW	•		
	Please complete the following information:				
NAME					
ADDRESS					
	CITY,ST,ZIP				
	PHONE #				
	Address N	umber Requ	ested		
	Mounting Prefe	rence and sign s	ize		
	_	rence and sign s			
	Vertical				
	Full Size Sign (6" X 18")	\$15.00			
	Half size sign (6" X 9")	\$10.00*			
Mail to UJFD Po Box 150			r faster service call 02-899-4025		
Underhill, V	/1 05489				